crb



BrightGreen 2X qPCR MasterMix

| | | Storeat -20°C | | | |
|---------------------|---|-------------------------|--|--|--|
| Cat. No. | Product Name | Quantity | | | |
| MasterMix-R-XL | BrightGreen 2X qPCR MasterMix - ROX | 2000X20 µl rxns (20 ml) | | | |
| MasterMix-LR- XL | BrightGreen2XqPCRMasterMix-LowROX | 2000X20 µl rxns (20 ml) | | | |
| MasterMix-iC-XL | BrightGreen 2X qPCR MasterMix - iCycler | 2000X20 µl rxns (20 ml) | | | |
| MasterMix-S-XL | BrightGreen 2X qPCR MasterMix - No Dye | 2000X20 µl rxns (20 ml) | | | |
| Product Description | | | | | |

A 2X concentrated mix of Taq polymerase, dNTPs, MgCl₂, fluorescent dye (detection), reference dye and proprietary buffer components, the BrightGreen 2X qPCR MasterMix provides a convenient, reliable and robust set-up for performing quantitative real-time analysis of DNA samples. Designed specifically for the aforementioned niche of application, the components of BrightGreen 2X qPCR MasterMix promise top notch performance with respect to sensitivity, signal-to-noise ratio and elimination of primer dimers. Furthermore, **crb**'s proprietary chemical modification of the DNA polymerase included in this MasterMix allows for Hot Start PCR, conferring a significant reduction in non-specific PCR amplification that is otherwise of a common occurrence with regular Taq polymerases.

In light of the fact that the qPCR instruments can vary from user to user, **crb** offers the BrightGreen 2X qPCR MasterMix in a range of formulations, each of which has been carefully optimized to confer the best performance according to the make and model of a qPCR machine. Please use the following table as a guide for selecting the qPCR MasterMix that will be most compatible with your choice of a particular instrument/model.

| Cat. No. | Product Name | qPCR Instrument(s) | |
|---------------------|--|-------------------------|--|
| MasterMix-R- XL | BrightGreen 2X qPCR MasterMix - ROX | 2000X20 µl rxns (20 ml) | |
| MasterMix- LR-XL | BrightGreen 2X qPCR MasterMix - Low ROX | 2000X20 µl rxns (20 ml) | |
| MasterMix- iC-XL | BrightGreen 2X qPCR MasterMix - iCycler | 2000X20 µl rxns (20 ml) | |
| MasterMix- S-XL | BrightGreen 2X qPCR MasterMix | 2000X20 µl rxns (20 ml) | |

Product Application(s)

The BrightGreen 2X qPCR MasterMix is ideally suited for:

- -- Gene expression analysis
- -- Microarray validation
- -- Viral load determination

Storage Conditions

Upon arrival, the BrightGreen 2X qPCR MasterMix should be stored at -20°C and protected from light. After each experiment, the leftover mix (completely thawed and thoroughly homogenized) can be stored at 4°C if it is to be used within the next 3 months. Avoid repeated freeze-thaw cycles to retain maximum performance. The BrightGreen 2X qPCR MasterMix is stable for 1 year from the date of shipping when stored and handled properly.

Protocol

1. Thaw the BrightGreen 2X qPCR MasterMix, template DNA, primers and nuclease-free water on ice. Mix each solution thoroughly.

Note: Pleaseensure nosalt crystalsarepresent in the BrightGreen 2X qPCR MasterMix before use. If salt crystals are observed, mix until crystals are completely dissolved and absent.

2. Set up the following reaction mixture (10 µl or 20 µl reaction volume):

| Components | 10µlReaction | 20 µl Reaction | Final Concentration | | |
|--|--------------|----------------|----------------------------|--|--|
| BrightGreen 2X qPCR MasterMi | х 5µl | 10 µl | 1X | | |
| Forward Primer(10 µM) | 0.3 µl | 0.6µl | 300 nM | | |
| Reverse Primer (10 µM) | 0.3µl | 0.6µl | 300 nM | | |
| Template DNA | Variable | Variable | ≤500 ng/reaction | | |
| Nuclease-free H ₂ O | to 10 µl | to 20 µl | | | |
| 3. Perform qPCR reactions using the following cycling program: | | | | | |

| Step | Temperature | Duration (Standard) | Duration (Fast) | Cycle(s) | |
|---------------------|--|---------------------|-----------------|----------|--|
| Enzyme activation | 95°C | 10 mins | 20 secs | 1 | |
| Denaturation | 95°C | 15 secs | 3 secs | 10 | |
| Annealing/Extension | 60°C | 60 secs | 30 secs | 40 | |
| Melting curve | Refer to specific guidelines for instrument used | | | | |

Recommendations for Optimal Results

- -- Aliquot reagents to avoid contamination and repeated freeze-thaw cycles.
- -- Note that the BrightGreen 2 X qPCR MasterMix components are light sensitive and there-fore, avoid prolonged exposure to direct light.
- -- Ideally, start the PCR as soon as the reaction mixture is prepared. If not, then make sure that the reaction mixture is kept chilled till starting up the PCR.



All crb PCR, RT-PCR, and qPCR products are ISO 13485:2003 and 13485:2012 certified as diagnostic grade and in compliance with all regulatory requirements for the design and manufacture of medical devices, as outlined by the international Organization for Standardization (ISO). For technical questions, please email us at support@coderegenesis.com or visit our website at www.coderegenesis.com

